

PART	LOT	CONCESSION	PIN	AREA (m ²) AT GRADE
1	PART OF WEST HALF OF LOT 8 AND PART OF WEST HALF OF LOT 9	5	ALL OF 02988-0939(LT)	2834.0
2	PART OF WEST HALF OF LOT 8		PART OF 02988-0935(LT)	---
3	PART OF WEST HALF OF LOT 8		PART OF 02988-0935(LT)	---

PART 1 AND 2 SUBJECT TO EASEMENTS AS IN YR2735353, YR2766527, YR277354, YR3005982, YR3018549.
 PART 3 SUBJECT TO EASEMENTS AS IN YR2735353, YR2766527, YR277354, YR3005982.


BOUNDARY DEFINITIONS

- ① DENOTES THE VERTICAL PLANE CONTROLLED BY THE CENTRELINE OF THE DEMISING WALL AND/OR PRODUCTION THEREOF
- ② DENOTES THE SURFACE AND PLANE OF THE MASONRY WALL OR COLUMN AND/OR PRODUCTION THEREOF
- ③ DENOTES THE VERTICAL PLANE ESTABLISHED BY THE LINE AND FACE OF THE COLUMNS AND/OR PRODUCTION THEREOF
- ④ DENOTES THE CONDOMINIUM BOUNDARY
- ⑤ DENOTES THE CENTRELINE OF THE CONCRETE SLAB AND/OR THE HORIZONTAL PRODUCTION THEREOF AT THE EDGE OF SLAB
- ⑥ DENOTES A VERTICAL PLANE CONTROLLED BY BEARING AND DISTANCE
- ⑦ DENOTES A HORIZONTAL PLANE CONTROLLED BY GEODETIC ELEVATION
- ⑧ DENOTES A SLOPING PLANE CONTROLLED BY GEODETIC ELEVATIONS

ALLOCATION OF PARTS ON PLAN 65R-37421

- ① PARTS 4, 9, 21, 23, AND 25 COMPRISE ALL OF PIN BLOCK 29890, BEING YORK REGION STANDARD CONDOMINIUM PLAN No. 1359.
- ② PART 24 COMPRISES PART OF PIN 02988-0935(LT).
- ③ PARTS 5, 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 22, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, AND 42 COMPRISE ALL OF PIN 02988-0938(LT).
- ④ PARTS 1, 2, AND 3 COMPRISE ALL OF PIN 02988-0939(LT).

BLOCK 10, PLAN 65M-4632



6° UTM ZONE 17 COORDINATES
 NAD 83 (ORIGINAL) (CENTRAL MERIDIAN 8100' WEST LONGITUDE)
 THE UTM COORDINATES LISTED BELOW ARE TO URBAN ACCURACY AND COMPLY WITH SUBSECTION 1(4) OF ONTARIO REGULATION 216/17 FILED UNDER THE SURVEYORS ACT.

SPECIFIED CONTROL POINTS			
MONUMENT ID.	NORTHING	EASTING	
HCM 092063061	4 856 474.316	634 292.758	
HCM 092063062	4 856 088.702	634 194.119	

REFERENCE POINTS			
POINT	NORTHING	EASTING	
1	4 856 584.78	634 637.72	
2	4 856 446.88	634 813.93	
3	4 856 576.58	634 828.71	
4	4 856 521.68	634 671.07	

COORDINATE VALUES SHOWN ARE FOR GEOGRAPHIC INFORMATION SYSTEM INTERACTION ONLY. COORDINATES CANNOT, IN THEMSELVES, BE USED TO RE-ESTABLISH CORNERS OR BOUNDARIES SHOWN ON THIS PLAN.

STRATA PLAN OF SURVEY OF
PART OF THE WEST HALF OF LOT 8, CONCESSION 5 AND PART OF THE WEST HALF OF LOT 8, CONCESSION 5
 DEDICATED AS ENTERPRISE BOULEVARD,
 (CLOSED BY BY-LAW 2011-233, INST. YR1767401)
 GEOGRAPHIC TOWNSHIP OF MARKHAM, COUNTY OF YORK
 CITY OF MARKHAM
 REGIONAL MUNICIPALITY OF YORK

SCALE 1:200
 KRCMAR SURVEYORS LTD. 2024
 THE INTENDED PLOT SIZE OF THIS PLAN IS 14959mm IN WIDTH BY 590mm IN HEIGHT WHEN PLOTTED AT A SCALE OF 1:200
 METRIC DISTANCES AND COORDINATES SHOWN HEREON ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

BEARING
 BEARINGS SHOWN HEREON ARE ASTROMONIC AND ARE REFERRED TO THE NORTHERLY LIMIT OF ENTERPRISE BOULEVARD AS SHOWN ON PLAN 65R-37421 HAVING A BEARING OF N71°51'00"E TO OBTAIN GRID BEARINGS APPLY A COUNTER-CLOCKWISE ROTATION OF 0°10'30" TO THE BEARINGS SHOWN.
 DISTANCES SHOWN HEREON ARE GROUND DISTANCES AND CAN BE CONVERTED TO GRID DISTANCES BY MULTIPLYING BY A COMBINED SCALE FACTOR OF 0.999793.

ELEVATION
 ELEVATIONS SHOWN HEREON ARE GEODETIC AND ARE RELATED TO CITY OF MARKHAM BENCHMARK No. M-20-007 HAVING AN ELEVATION OF 188.322 METRES. (VERTICAL DATUM: CGVD28 78)

NOTES
 ALL FOUND MONUMENTS ARE BY KRCMAR SURVEYORS LTD. (1370) UNLESS OTHERWISE NOTED.
 ALL UNDERLYING PARTS ARE REFERRED TO PLAN 65R-37421 UNLESS OTHERWISE NOTED.
 ALL BEARINGS, DISTANCES, AND ELEVATIONS ARE IN ACCORDANCE WITH PLANS 65R-37421 & Y.R.S.C.P. No. 1359 (AS APPLICABLE) UNLESS OTHERWISE NOTED.
 ALL VERTICAL PLANES ARE SET BY MEASUREMENT UNLESS OTHERWISE NOTED.
 ALL HORIZONTAL PLANES ARE SET BY GEODETIC ELEVATION UNLESS OTHERWISE NOTED.

LEGEND

- DENOTES SURVEY MONUMENT FOUND
- DENOTES SURVEY MONUMENT PLANTED
- DENOTES HORIZONTAL CONTROL MONUMENT
- SB DENOTES STANDARD IRON BAR
- SC DENOTES SHORT STANDARD IRON BAR
- IB DENOTES IRON BAR
- IC DENOTES CUT CROSS
- (S) DENOTES SET
- (OU) DENOTES ORIGIN UNKNOWN
- (M) DENOTES MEASURED
- (BP) DENOTES PLAN 65M-4630
- (P) DENOTES SURVEYOR'S REAL PROPERTY REPORT BY KRCMAR SURVEYORS LTD., O.L.S. DATED JANUARY 22, 2016
- (PB) DENOTES PLAN 65R-37421
- (P9) DENOTES YORK REGION STANDARD CONDOMINIUM PLAN No. 1359 (1370)
- (L) DENOTES KRCMAR SURVEYORS LTD. O.L.S.
- BEARING DISTANCE DENOTES CHANGE IN VERTICAL LIMITATION
- X X DENOTES SEE SECTION X-X

SURVEYOR'S CERTIFICATE
 I CERTIFY THAT:
 1. THE STRUCTURES SHOWN ON THIS PLAN (COMPRISING SHEETS 1 TO 5 INCLUSIVE) ARE IN EXISTENCE.
 2. THE DIMENSIONS SHOWN ON THIS PLAN HAVE BEEN VERIFIED BY ACTUAL MEASUREMENTS.
 DATE: 2024 MAJA KRCMAR
 ONTARIO LAND SURVEYOR

SURVEYOR'S CERTIFICATE
 I CERTIFY THAT:
 1. THIS SURVEY AND PLAN (COMPRISING SHEETS 1 TO 5 INCLUSIVE) ARE CORRECT AND IN ACCORDANCE WITH THE SURVEYORS ACT, THE SURVEYORS ACT AND THE LAND TITLES ACT AND THE REGULATIONS MADE UNDER THEM.
 2. THE SURVEY WAS COMPLETED ON THE ____ DAY OF ____ 2024
 DATE: 2024 MAJA KRCMAR
 ONTARIO LAND SURVEYOR

THIS PLAN OF SURVEY RELATES TO AOLS PLAN SUBMISSION FORM NUMBER _____
 MUNICIPAL ADDRESS: 1610 ENTERPRISE BOULEVARD, MARKHAM
 FIELD: DRAWN: M.C. CHECKED: M.C. JOB NO.: 23-181
 DWG NAME: 23-181R01 | PLOT INFO: 17:10:21/Nov/2024 | WORK ORDER NO.: 40421
 1137 Centre Street Thornhill ON L4J 3M5 905.738.0053 F 905.738.9221 www.krcmar.com
 PLAN AVAILABLE AT www.ProtectYourBoundaries.ca



DIAGRAM 1 - SHOWING CONFIGURATION OF PART LIMITS AT ELEVATION 184.0 METRES (Ground Floor)
 NOTE: COMPONENTS OF YORK REGION STANDARD CONDOMINIUM PLAN No. 1359 ARE REFERRED TO LEVEL 1

RELATIONSHIP OF DIAGRAMS

DIAGRAM 5	200.7m
DIAGRAM 4	198.6m
DIAGRAM 3	195.0m
DIAGRAM 2	192.6m
DIAGRAM 1	184.0m
DIAGRAM A	179.0m




DIAGRAM A – SHOWING CONFIGURATION OF PART LIMITS AT ELEVATION 179.0 METRES (BELOW GRADE)
 NOTE: COMPONENTS OF YORK REGION STANDARD CONDOMINIUM PLAN No. 1359 ARE REFERRED TO LEVEL A




DIAGRAM 2 – SHOWING CONFIGURATION OF PART LIMITS AT ELEVATION 192.6 METRES UNLESS OTHERWISE NOTED (LEVEL 3)
 NOTE: COMPONENTS OF YORK REGION STANDARD CONDOMINIUM PLAN No. 1359 ARE REFERRED TO LEVEL 2, MEZZANINE FLOOR

RELATIONSHIP OF DIAGRAMS

DIAGRAM 5	200.0m
DIAGRAM 4	196.6m
DIAGRAM 3	192.6m
DIAGRAM 2	192.6m
DIAGRAM 1	192.6m
DIAGRAM A	179.0m

FLOOR 03
 TRAFFIC COORDINATION SET
 SCALE: 1:200

STRATA PLAN OF SURVEY OF
PART OF THE WEST HALF OF LOT 8, CONCESSION 5 AND PART OF THE WEST HALF OF LOT 8, CONCESSION 5
 DEDICATED AS ENTERPRISE BOULEVARD,
 (CLOSED BY BY-LAW 2011-233, INST. YR1767401)
 GEOGRAPHIC TOWNSHIP OF MARKHAM, COUNTY OF YORK
 CITY OF MARKHAM
 REGIONAL MUNICIPALITY OF YORK

SCALE 1:200

KRCMAR SURVEYORS LTD. 2024

THE INTENDED PLOT SIZE OF THIS PLAN IS 1495mm IN WIDTH BY 590mm IN HEIGHT WHEN PLOTTED AT A SCALE OF 1:200

METRIC: DISTANCES AND COORDINATES SHOWN HEREON ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

BEARING
 BEARINGS SHOWN HEREON ARE ASTROMONIC AND ARE REFERRED TO THE NORTHERLY LIMIT OF ENTERPRISE BOULEVARD AS SHOWN ON PLAN 65R-37421 HAVING A BEARING OF N71°51'00"E TO OBTAIN GRID BEARINGS APPLY A COUNTER-CLOCKWISE ROTATION OF 0°03'00" TO THE BEARINGS SHOWN.

ELEVATION
 ELEVATIONS SHOWN HEREON ARE GEODETIC AND ARE RELATED TO CITY OF MARKHAM BENCHMARK No. M-20-007 HAVING AN ELEVATION OF 188.322 METRES (VERTICAL DATUM: CGVD28:78)

- NOTES**
- ALL UNDERLYING PARTS SHOWN HEREON ARE REFERRED TO PLAN 65R-37421 UNLESS OTHERWISE NOTED.
 - ALL BEARINGS, DISTANCES, AND ELEVATIONS ARE IN ACCORDANCE WITH PLANS 65R-37421 & Y.R.S.C.P. No. 1359 (AS APPLICABLE) UNLESS OTHERWISE NOTED.
 - ALL VERTICAL PLANES ARE SET BY MEASUREMENT UNLESS OTHERWISE NOTED.
 - ALL HORIZONTAL PLANES ARE SET BY GEODETIC ELEVATION UNLESS OTHERWISE NOTED.
- LEGEND**
- UL: DENOTES UPPER LIMIT
 - LL: DENOTES LOWER LIMIT
 - HP: DENOTES HORIZONTAL PLANE
 - SP: DENOTES SLOPING PLANE
 - BEARING: DENOTES CHANGE IN VERTICAL LIMITATION
 - X-X: DENOTES SEE SECTION X-X
 - ① DENOTES THE VERTICAL PLANE CONTROLLED BY THE CENTRELINE OF THE DEMISING WALL AND/OR PRODUCTION THEREOF
 - ② DENOTES THE SURFACE AND PLANE OF THE MASONRY WALL OR COLUMN AND/OR PRODUCTION THEREOF
 - ③ DENOTES THE VERTICAL PLANE ESTABLISHED BY THE LINE AND FACE OF THE COLUMNS AND/OR PRODUCTION THEREOF
 - ④ DENOTES THE CONDOMINIUM BOUNDARY
 - ⑤ DENOTES THE CENTRELINE OF THE CONCRETE SLAB AND/OR THE HORIZONTAL PRODUCTION THEREOF AT THE EDGE OF SLAB
 - ⑥ DENOTES A VERTICAL PLANE CONTROLLED BY BEARING AND DISTANCE
 - ⑦ DENOTES A HORIZONTAL PLANE CONTROLLED BY GEODETIC ELEVATION
 - ⑧ DENOTES A SLOPING PLANE CONTROLLED BY GEODETIC ELEVATIONS

MUNICIPAL ADDRESS: 16110 ENTERPRISE BOULEVARD, MARKHAM

FIELD	DRAWN	M.C.	CHECKED	M.C.	JOB NO.	23-181
DWG NAME	23-181R01	PLAT INFO	17:10:21/Nov/2024	WORK ORDER NO.	40421	
1137 Centre Street Thornhill ON L4J 3M5 905.738.0053 F 905.738.9221 www.krcmar.ca						
PLAN AVAILABLE AT www.ProtectYourBoundaries.ca						






DIAGRAM 3 – SHOWING CONFIGURATION OF PART LIMITS AT ELEVATION 195.0 METRES (LEVEL 4)
 NOTE: COMPONENTS OF YORK REGION STANDARD CONDOMINIUM PLAN No. 1359 ARE REFERRED TO LEVEL 2 (MEZZANINE FLOOR)




DIAGRAM 4 – SHOWING CONFIGURATION OF PART LIMITS AT ELEVATION 198.6 METRES (LEVEL 5)
 NOTE: COMPONENTS OF YORK REGION STANDARD CONDOMINIUM PLAN No. 1359 ARE REFERRED TO LEVEL 4

STRATA PLAN OF SURVEY OF
 PART OF THE WEST HALF OF
 LOT 8, CONCESSION 5 AND
 PART OF THE WEST HALF OF
 LOT 8, CONCESSION 5
 DEDICATED AS ENTERPRISE BOULEVARD,
 (CLOSED BY BY-LAW 2011-233, INST. YR1767401)
 GEOGRAPHIC TOWNSHIP OF MARKHAM,
 COUNTY OF YORK
 REGIONAL MUNICIPALITY OF YORK

SCALE 1:200
 THE INTENDED PLOT SIZE OF THIS PLAN IS 1495mm IN WIDTH BY 590mm IN HEIGHT WHEN PLOTTED AT A SCALE OF 1:200
 METRIC DISTANCES AND COORDINATES SHOWN HEREON ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

BEARING
 BEARINGS SHOWN HEREON ARE ASTROMONIC AND ARE REFERRED TO THE NORTHERLY LIMIT OF ENTERPRISE BOULEVARD AS SHOWN ON PLAN 65R-37421 HAVING A BEARING OF N71°51'00"E TO OBTAIN GRID BEARINGS APPLY A COUNTER-CLOCKWISE ROTATION OF 0°03'00" TO THE BEARINGS SHOWN.
 DISTANCES SHOWN HEREON ARE GROUND DISTANCES AND CAN BE CONVERTED TO GRID DISTANCES BY MULTIPLYING BY A COMBINED SCALE FACTOR OF 0.999793.

ELEVATION
 ELEVATIONS SHOWN HEREON ARE GEODETIC AND ARE RELATED TO CITY OF MARKHAM BENCHMARK No. M-20-007 HAVING AN ELEVATION OF 188.322 METRES (VERTICAL DATUM: CGVD28:78)

NOTES
 ALL UNDERLYING PARTS SHOWN HEREON ARE REFERRED TO PLAN 65R-37421 UNLESS OTHERWISE NOTED.
 ALL BEARINGS, DISTANCES, AND ELEVATIONS ARE IN ACCORDANCE WITH PLANS 65R-37421 & Y.R.S.C.P. No. 1359 (AS APPLICABLE) UNLESS OTHERWISE NOTED.
 ALL VERTICAL PLANES ARE SET BY MEASUREMENT UNLESS OTHERWISE NOTED.
 ALL HORIZONTAL PLANES ARE SET BY GEODETIC ELEVATION UNLESS OTHERWISE NOTED.

LEGEND
 UL DENOTES UPPER LIMIT
 LL DENOTES LOWER LIMIT
 HP DENOTES HORIZONTAL PLANE
 SP DENOTES SLOPING PLANE
 BEARING DISTANCE DENOTES CHANGE IN VERTICAL LIMITATION
 X X X DENOTES SEE SECTION X-X


① DENOTES THE VERTICAL PLANE CONTROLLED BY THE CENTRELINE OF THE DEMISING WALL AND/OR PRODUCTION THEREOF
 ② DENOTES THE SURFACE AND PLANE OF THE MASONRY WALL OR COLUMN AND/OR PRODUCTION THEREOF
 ③ DENOTES THE VERTICAL PLANE ESTABLISHED BY THE LINE AND FACE OF THE COLUMNS AND/OR PRODUCTION THEREOF
 ④ DENOTES THE CONDOMINIUM BOUNDARY
 ⑤ DENOTES THE CENTRELINE OF THE CONCRETE SLAB AND/OR THE HORIZONTAL PRODUCTION THEREOF AT THE EDGE OF SLAB
 ⑥ DENOTES A VERTICAL PLANE CONTROLLED BY BEARING AND DISTANCE
 ⑦ DENOTES A HORIZONTAL PLANE CONTROLLED BY GEODETIC ELEVATION
 ⑧ DENOTES A SLOPING PLANE CONTROLLED BY GEODETIC ELEVATIONS

RELATIONSHIP OF DIAGRAMS

DIAGRAM 5	200.7m
DIAGRAM 4	198.6m
DIAGRAM 3	195.0m
DIAGRAM 2	192.6m
DIAGRAM 1	194.0m
DIAGRAM A	179.0m

MUNICIPAL ADDRESS: 16110 ENTERPRISE BOULEVARD, MARKHAM
 FIELD: DRAWN: M.C. CHECKED: M.C. JOB NO.: 23-181
 DWG NAME: 23-18R01 | PLOT INFO: 17:10:21Nov2024 | WORK ORDER NO: 40241
 1137 Centre Street, Thornhill ON L4J 3M5 | 905.738.0053 | F.905.738.9221 | www.krcmar.ca
 PLAN AVAILABLE AT www.ProtectYourBoundaries.ca





STRATA PLAN OF SURVEY OF
 PART OF THE WEST HALF OF
 LOT 8, CONCESSION 5 AND
 PART OF THE WEST HALF OF
 LOT 8, CONCESSION 5
 DEDICATED AS ENTERPRISE BOULEVARD,
 (CLOSED BY BY-LAW 2011-233, INST. YR1767401)
 GEOGRAPHIC TOWNSHIP OF MARKHAM, COUNTY OF YORK
 CITY OF MARKHAM
 REGIONAL MUNICIPALITY OF YORK

SCALE 1:200
 0 5 10 15 20m
 KRCMAR SURVEYORS LTD. 2024
 THE INTENDED PLOT SIZE OF THIS PLAN IS 1495mm IN WIDTH BY 590mm
 IN HEIGHT WHEN PLOTTED AT A SCALE OF 1:200
 METRIC DISTANCES AND COORDINATES SHOWN HEREON ARE IN METRES
 AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

BEARING
 BEARINGS SHOWN HEREON ARE ASTROMOMIC AND ARE REFERRED TO
 THE NORTHERLY LIMIT OF ENTERPRISE BOULEVARD AS SHOWN ON
 PLAN 65R-37421 HAVING A BEARING OF N71°51'00"E
 TO OBTAIN GRID BEARINGS APPLY A COUNTER-CLOCKWISE ROTATION
 OF 0°03'00" TO THE BEARINGS SHOWN.
 DISTANCES SHOWN HEREON ARE GROUND DISTANCES AND CAN BE
 CONVERTED TO GRID DISTANCES BY MULTIPLYING BY A COMBINED
 SCALE FACTOR OF 0.999793.

ELEVATION
 ELEVATIONS SHOWN HEREON ARE GEODETIC AND ARE RELATED TO CITY
 OF MARKHAM BENCHMARK No. M-20-007 HAVING AN ELEVATION OF
 188.322 METRES. (VERTICAL DATUM: CGVD28:78)

NOTES
 ALL UNDERLYING PARTS SHOWN HEREON ARE REFERRED TO PLAN 65R-37421
 UNLESS OTHERWISE NOTED.
 ALL BEARINGS, DISTANCES, AND ELEVATIONS ARE IN ACCORDANCE WITH PLANS
 65R-37421 & Y.R.S.C.P. No. 1359 (AS APPLICABLE) UNLESS OTHERWISE NOTED.
 ALL VERTICAL PLANES ARE SET BY MEASUREMENT UNLESS OTHERWISE NOTED.
 ALL HORIZONTAL PLANES ARE SET BY GEODETIC ELEVATION UNLESS OTHERWISE
 NOTED.

- LEGEND**
- UL DENOTES UPPER LIMIT
 - LL DENOTES LOWER LIMIT
 - HP DENOTES HORIZONTAL PLANE
 - SP DENOTES SLOPING PLANE
 - BEARING DENOTES CHANGE IN VERTICAL LIMITATION
 - X-X DENOTES SEE SECTION X-X
 - ⊙ DENOTES THE VERTICAL PLANE CONTROLLED BY THE CENTRELINE OF THE DEMISING WALL AND/OR PRODUCTION THEREOF
 - ⊚ DENOTES THE SURFACE AND PLANE OF THE MASONRY WALL OR COLUMN AND/OR PRODUCTION THEREOF
 - ⊕ DENOTES THE VERTICAL PLANE ESTABLISHED BY THE LINE AND FACE OF THE COLUMNS AND/OR PRODUCTION THEREOF
 - ⊖ DENOTES THE CENTRELINE OF THE CONCRETE SLAB AND/OR THE HORIZONTAL PRODUCTION THEREOF AT THE EDGE OF SLAB
 - ⊗ DENOTES THE CENTRELINE OF THE CONCRETE SLAB AND/OR THE HORIZONTAL PRODUCTION THEREOF AT THE EDGE OF SLAB
 - ⊙ DENOTES A HORIZONTAL PLANE CONTROLLED BY BEARING AND DISTANCE
 - ⊚ DENOTES A HORIZONTAL PLANE CONTROLLED BY BEARING AND DISTANCE
 - ⊕ DENOTES A SLOPING PLANE CONTROLLED BY GEODETIC ELEVATIONS

WEST HALF OF LOT 8
 CONCESSION 5
 PART 5
 65R-33265
 PIN 02988-0732(L1)

PART 6
 PLAN 65R-33265
 ENTERPRISE BOULEVARD (NAMED AND DEDICATED
 BY BY-LAW 2006-69, INST. YR195495)
 (CLOSED BY BY-LAW 2011-233, INST. YR1767401)

WEST HALF OF LOT 8
 CONCESSION 5
 PART 3
 PLAN 65R-33265
 ENTERPRISE BOULEVARD (NAMED AND DEDICATED
 BY BY-LAW 2006-69, INST. YR195495)
 (CLOSED BY BY-LAW 2011-233, INST. YR1767401)

DIAGRAM 5 - SHOWING CONFIGURATION OF PART LIMITS AT ELEVATION 200.7 METRES (LEVEL 6)
 NOTE: COMPONENTS OF YORK REGION STANDARD CONDOMINIUM PLAN No. 1359 ARE REFERRED TO LEVEL 4

RELATIONSHIP OF DIAGRAMS

DIAGRAM 5	200.7m
DIAGRAM 4	198.6m
DIAGRAM 3	195.0m
DIAGRAM 2	192.6m
DIAGRAM 1	194.0m
DIAGRAM A	179.0m







MUNICIPAL ADDRESS: 16180 ENTERPRISE BOULEVARD, MARKHAM

FIELD: DRAWN: M.C. CHECKED: M.K. JOB NO.: 23-181


DWG NAME: 23-181RPP1 | PLOT INFO: 17:10 21 Nov 2024 | WORK ORDER NO: 40241
 1137 Centre Street Thornhill ON L4J 3M5 905.738.0053 F 905.738.9221 www.krcmar.ca

PLAN AVAILABLE AT www.ProtectYourBoundaries.ca

KRCMAR



STRATA PLAN OF SURVEY OF
**PART OF THE WEST HALF OF
 LOT 8, CONCESSION 5 AND
 PART OF THE WEST HALF OF
 LOT 8, CONCESSION 5**
 DEDICATED AS ENTERPRISE BOULEVARD,
 (CLOSED BY BY-LAW 2011-233, INST. YR1767401)
 GEOGRAPHIC TOWNSHIP OF MARKHAM, COUNTY OF YORK
 CITY OF MARKHAM
 REGIONAL MUNICIPALITY OF YORK



- ELEVATION**
 ELEVATIONS SHOWN HEREON ARE GEODETIC AND ARE RELATED TO CITY OF MARKHAM BENCHMARK No. 14-20-007 HAVING AN ELEVATION OF 188.322 METRES. (VERTICAL DATUM: CGVD28:78)
- NOTES**
 ALL UNDERLYING PARTS SHOWN HEREON ARE REFERRED TO PLAN 65R-37421 UNLESS OTHERWISE NOTED.
 ALL VERTICAL PLANES ARE SET BY MEASUREMENT UNLESS OTHERWISE NOTED.
 ALL HORIZONTAL AND SLOPING PLANES ARE SET BY GEODETIC ELEVATION(S) UNLESS OTHERWISE NOTED.
- LEGEND**
 (P9) DENOTES YORK REGION STANDARD CONDOMINIUM PLAN No. 1359
 A.S. DENOTES APPROXIMATE GRADE
 CSP DENOTES CHANGE IN SLOPING PLANE
 (S) DENOTES SET
 100.00 DENOTES GEODETIC ELEVATION
 ↑ DENOTES NO UPPER LIMITATIONS
 ↓ DENOTES NO LOWER LIMITATIONS
 -A-A DENOTES CROSS-SECTION
- ⊙ DENOTES THE VERTICAL PLANE CONTROLLED BY THE CENTRELINE OF THE PERMISING WALL AND/OR PRODUCTION THEREOF
 ⊙ DENOTES THE SURFACE AND PLANE OF THE MASONRY WALL OR COLUMN AND/OR PRODUCTION THEREOF
 ⊙ DENOTES THE VERTICAL PLANE ESTABLISHED BY THE LINE AND FACE OF THE COLUMNS AND/OR PRODUCTION THEREOF
 ⊙ DENOTES THE CONDOMINIUM BOUNDARY
 ⊙ DENOTES THE CENTRELINE OF THE CONCRETE SLAB AND/OR THE HORIZONTAL PRODUCTION THEREOF AT THE EDGE OF SLAB
 ⊙ DENOTES A VERTICAL PLANE CONTROLLED BY BEARING AND DISTANCE
 ⊙ DENOTES A HORIZONTAL PLANE CONTROLLED BY GEODETIC ELEVATION
 ⊙ DENOTES A SLOPING PLANE CONTROLLED BY GEODETIC ELEVATIONS

RELATIONSHIP OF DIAGRAMS

DIAGRAM 5	200.7m
DIAGRAM 4	198.6m
DIAGRAM 3	195.0m
DIAGRAM 2	192.6m
DIAGRAM 1	184.0m
DIAGRAM A	179.0m

MUNICIPAL ADDRESS: 16 180 ENTERPRISE BOULEVARD, MARKHAM
 FIELD: DRAWN: M.C. CHECKED: M.K. JOB NO.: 23-181
 DWG NAME: 23-181R01 | PLOT INFO: 17:10:21Nov/2024 | WORK ORDER NO: 40421
 1137 Centre Street Thornhill ON L4J 3M5 905.738.0053 F 905.738.9221 www.krcmar.ca
 PLAN AVAILABLE AT www.ProtectYourBoundaries.ca

